Sri A. R. KARISIDDAPPA.—Why were these vacancies not advertised by the P.S.C. ?

Sri K. K. HEGDE.—The P. S. C. has been asked to fill up these vacancies.

Mr. SPEAKER.—Q. No. 384. I think this question has been already replied.

Sri J. B. MALLARADHYA.—No, Sir.

Mr. SPEAKER.—This question has been agitated on the floor of the House. I do not know whether it was during the budget discussion or during this question hour. I will hold over the question and verify whether it was taken up during the question hour and I will take it up tomorrow.

Construction of Anecut near Sonnapalli in Kolar District.

*Q.—397. Sri J. NARAYANAPPA (Mulabagal).—

Will the Government be pleased to state:—

(*a*) whether they have considered the construction of an anecut across Kushavati Sakamma River flowing near Sonnapalli in Nelavanki Hobli, Srinivaspur Taulk, Kolar District;

(*b*) whether they are aware that about one thousand acres of land would be irrigated if the said anecut is constructed;

(*c*) the steps they have taken in the matter ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) No. The Kushavathi river does not flow near Sonnapalli.

(*b*) and (*c*) Do not arise in view of reply to clause (*a*).

ಶ್ರೀ ಜೆ. ನಾರಾಯಣಪ್ಪ.—ಸೊನ್ನಪಲ್ಲಿ ಹತ್ತಿರ ಕುಶಾವತಿ ನದಿ ಹರಿಯುವುದಿಲ್ಲವೆಂದು ತಿಳಿಸಿದ್ದಾರೆ. ಯಾರಾದರೂ ಅಧಿಕಾರಿಗಳು ಹೋಗಿ ಪರಿಶೀಲನೆ ಮಾಡಿದ್ದಾರೆಯೇ ಅಥವಾ ಆಫೀಸಿನಿಂದ ಈ ಉತ್ತರ ತಯಾರಾಗಿ ಬಂದಿದೆಯೇ ?

†ಶ್ರೀ ಎಂ. ಎಸ್. ನಾಗನೂರ್.—ಕುಶಾವತಿ ನದಿ ಶ್ರೀನಿವಾಸಪುರ ತಾಲ್ಲೂಕಿನಲ್ಲಿ ಹರಿಯುವುದಿಲ್ಲ. ಆದರೆ ಕೆಲವು ಕಾಂಗ್ರೆಸ್ ಸ್ನೇಹಿತರು ಬಂದಾಡೆ ನದಿಗೆ ಅಣೆಕಟ್ಟನ್ನು ಅಥವಾ ಕೆರೆಯನ್ನು ಕಟ್ಟಬೇಕೆಂದು ಮನವಿಯನ್ನು ಕೊಟ್ಟಿದರು.

ಶ್ರೀ ಜೆ. ನಾರಾಯಣಪ್ಪ.—ಈ ನದಿ ಹರಿಯುವುದು ನನ್ನ ಚುನಾವಣಾ ಕ್ಷೇತ್ರದಲ್ಲಿ. ಕುಶಾವತಿ ನದಿಯು ಕವಲೊಡೆದು ಸೊನ್ನಪಲ್ಲಿ ಹತ್ತಿರ ಬರುತ್ತದೆ. ಅದಕ್ಕೆ ಸಾಕಮ್ಮ ನದಿ ಎಂದು ಕರೆಯುತ್ತಾರೆ. ಅನೇಕ ಅಧಿಕಾರಿಗಳೂ ಬಂದು ಸ್ಥಳವನ್ನು ನೋಡಿದ್ದಾರೆ. ಅಲ್ಲಿ ಒಂದು ಸಾವಿರ ಎಕರೆ ಜಮೀನು ನೀರಾವರಿಯಾಗುವುದರಿಂದ ಪರಿಶೀಲನೆ ಮಾಡಿ ಕೆರೆ ಕಟ್ಟಿಸುವುದಕ್ಕೆ ಏರ್ಪಾಡು ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಎಂ. ಎಸ್. ನಾಗನೂರ್.—ನರ್ಮೆಮಾಡಿನು ತ್ತೇವೆ.

Inadequate supply of water to the achkatdars of land under C. D. S. Extension Channel of Bannur Tank.

*Q.—401. Sri T. P. BORIAH (Kollegal).—

Will the Government be pleased to state:—

(*a*) whether it has come to their notice that the ryots cultivating lands at the tail end of C.D.S. extension channel of Bannur Tank are put to difficulty consequent on the failure of crops due to water scarcity for about 800 acres of land during the last few years;

(*b*) the steps they have taken to prevent this difficulty during next cultivation season ?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Some difficulties in supplying water to tail end lands have been experienced. No damage to crops due to scarcity of water has, however, been reported.

(*b*) The undermentioned works are proposed to be taken during this summer to improve the water supply position:—

1. providing controlling arrangement to such of major sluices that do not have the same at present in C.D.S. Main Channel upto the Bannur tank with a view to effectively force more water to the Bannur tank, from which the C.D.S. Extension takes of;

2. providing revetment to soft slopes in the higher reaches, with a view to improve the velocity of flow;

3. removing heavy deposits of silt and rock obstructions occurring here and there in the bed of the main channel;

(SRI H. M. CHANNABASAPPA)

4. raising of three masonry cart bridges in 40 to 65 miles to prevent backing up of water.

ಶ್ರೀ ಟಿ. ಪಿ. ಬೋರಯ್ಯ.—ಉಪಪ್ರಶ್ನೆಗಳನ್ನು ಕೇಳುವುದಿಲ್ಲ.

Supply of Materials to Chikballapur Electrical Division.

*Q.—411. Sri S. MUNI RAJU (Chickballapur).—

Will the Government be pleased to state:—

(*a*) the number of sanctioned estimates pending in Chickballapur Electrical Division for want of materials;

(*b*) what steps have been taken to supply adequate materials?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

(*a*) Twenty-four.

(*b*) Orders have been placed for the materials required and arrangements are being made to procure them as early as possible.

Sri S. MUNI RAJU.—Since how long these estimates are pending?

Sri M. N. NAGHNOOR.—Since April 1959.

Sri S. MUNI RAJU.—How long will it take to take them up?

Sri M. N. NAGHNOOR.—That will depend upon the availability of the materials required. We have placed orders for the necessary materials and as soon as they are available, we will take steps to expedite them.

ಶ್ರೀ ಇ. ನಾರಾಯಣ ಗೌಡ.—ನೀರಾವರಿ ಪಂಪ್ ಸೆಟ್ಟುಗಳಿಗೆ ವಿದ್ಯುಚ್ಛಕ್ತಿ ಸರಬರಾಜು ಮಾಡುವುದಕ್ಕಾಗಿ ಕಳುಹಿಸಿರುವ ನೂರಾರು ಎಸ್ಟಿಮೇಟುಗಳು ಇನ್ನೂ ಮಂಜೂರಾಗದೆ ಇರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

†ಶ್ರೀ ಎಂ. ಎನ್ ನಾಗನೂರ್.—ಪಂಪ್‌ಸೆಟ್ಟುಗಳಿಗಾಗಿ ಆರ್ಡರನ್ನು ಕೊಡಲಾಗಿದೆ. ಅವುಗಳು ಬಂದ ಕೂಡಲೇ ಸರಬರಾಜನ್ನು ಮಾಡಲು ತಕ್ಕ ವ್ಯವಸ್ಥೆ ಮಾಡಲಾಗಿದೆ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಎಲೆಕ್ಟ್ರಿಸಿಟಿಗೆ ಬೇಕಾದ ಕಬ್ಬಿಣದ ಕಂಬಗಳಿಗೆ ಬದಲಾಗಿ ಸಿಮೆಂಟಿನ ಕಂಬಗಳನ್ನು ಉಪಯೋಗಿಸಬೇಕೆಂದು ಈಚೆಗೆ ಮಾಡಲಾಗಿದೆ. ಆದರೆ ಈ ಕಂಬಗಳನ್ನು ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮಾಡುವುದಿಲ್ಲ ಮತ್ತು ಹೊರಗಡೆಯೂ ಸಿಕ್ಕುವುದಿಲ್ಲ ಎನ್ನುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಡಿಪಾರ್ಟ್‌ಮೆಂಟಿನವರು ಮಾಡಬೇಕು ಎಂದು ಪ್ರಯತ್ನ ಮಾಡುತ್ತಿದ್ದಾರೆ. ಆದರೆ ಕೆಲವು ವೇಳೆ ಕಬ್ಬಿಣ ಸಿಕ್ಕುವುದು ಅಲ್ಲಿಯೂ ಕಷ್ಟವಾಗುತ್ತಿರುವುದರಿಂದ ವಿಳಂಬವಾಗಲು ಕಾರಣವಾಗಿದೆ.

ಶ್ರೀ ಕೆ. ಎಲ್. ನರಸಿಂಹಯ್ಯ.—ಕಬ್ಬಿಣ ಸರ್ಕಾರಕ್ಕೆ ಸಿಕ್ಕುವುದೂ ಕಷ್ಟವೇ?

ಶ್ರೀ ಎಂ. ಎನ್. ನಾಗನೂರ್.—ಕೆಲವು ಕಾಲದಲ್ಲಿ ಹಾಗಾಗಿತ್ತು.

Sri C. J. MUCKANNAPPA.—For how many sets have you placed orders for materials?

Sri M. N. NAGHNOOR.—It is said in the answer that at present we require immediately materials for supplying 24 I. P. sets.

ಶ್ರೀ ಜೆ. ವೆಂಕಟಪ್ಪ.—ಸರ್ಕಾರದಲ್ಲಿರುವ ಡಿಪಾರ್ಟ್‌ಮೆಂಟು ಸ್ಟೋರ್ಸಿನಲ್ಲಿ ಸುಮಾರು ಮೂರು ಕೋಟಿ ರೂಪಾಯಿಗಳಷ್ಟು ಬೆಲೆ ಬಾಳುವ ಸಾಮಾನುಗಳಿದ್ದರೂ ಉಪಯುಕ್ತವಾದ ಕೆಲವು ಸಾಮಾಗ್ರಿಗಳು ಎಂದರೆ, ಕಂಬಿಗಳು, ಟ್ರಾನ್ಸ್‌ಫಾರ್ಮರುಗಳು, ಇವುಗಳಿಲ್ಲದ ಕಾರಣಗಳಿಂದ ಮತ್ತು ಅಭಾವದಿಂದಾಗಿ ಎಷ್ಟೋ ಏಸ್ಟಿಮೇಟುಗಳು ಮಂಜೂರಾಗದೆ ಇರಲು ಕಾರಣವಾಗಿದೆಯಲ್ಲವೇ?

Sri H. M. CHANNABASAPPA.—It is not so. It may be that we may have a lot of stores. Many of those materials will not be required in the routine course. Sometimes when there is a breakdown, a particular spare part or a particular machinery may be required.

Construction of Bolavanike-Holeyalu Road.

*Q.—489. Sri R. M. PATIL (Navalgund).—

Will the Government be pleased to state:—

whether they intend to take up the construction of a road joining Belavanike and Holeyalu so as to connect Holeyalu to Gadag?

A.—Sri H. M. CHANNABASAPPA (Minister for Public Works and Electricity).—

No. There is already an existing road between Alur and Gadag *via* Ron.